G L A D I A T • R


TSXV: GLAD OTCQB: GDTRF FSE: ZX7

Advancing the High-Grade Whitehorse Copper Project in Yukon, Canada

Traditional lands of the Kwanlin Dün First Nation and the Ta'an Kwäch'än Council.

Corporate Presentation

May 2025



FORWARD-LOOKING STATEMENT

The information in this presentation is in a summary form and does not purport to be complete. It is not intended to be relied upon as advice to investors or potential investors and does not take into account the investment objectives, financial situation or needs of any particular investor.

This presentation includes certain statements that may be deemed "forward looking statements". All statements in this presentation, other than statements of historical facts, that address events or developments that Gladiator Metals expects to occur, are forward looking statements, including statements relating to the use of proceeds from the financing and property exploration plans. Forward looking statements are statements that are not historical facts and are generally, but not a lways, identified by the words "expects", "plans", "anticipates", "believes", "intends", "estimates", "projects", "potential" and similar expressions, or that events or conditions "will", "would" occur. Such statements reflect the Gladiator Metals' current views and intentions with respect to future events, and current information available to the Gladiator Metals, and are subject to certain risks, uncertainties and assumptions. Many factors could cause the actual results, performance or achievements that may be expressed or implied by such forward-looking information to vary from those described herein should one or more of these risks or uncertainties materialize.

Certain of the "risk factors" that could cause actual results to differ materially from the Company's forward-looking statements include, without limitation risks relating to the following: changes to governmental regulations or regulatory requirements in Canada; environmental risks; licensing and permitting risks; substantial capital requirements; no mineral resources or reserves on Gladiator Metals' properties; development and operating risks; reliance on management and dependence on key personnel; health and safety risks; fluctuating mineral prices; currency fluctuations; supply chain interruptions; risks relating to foreign operations; and other factors beyond the control of the Gladiator Metals. Should any factor affect Gladiator Metals in an unexpected manner, or should assumptions underlying the forward-looking information prove incorrect, the actual results or events may differ materially from the results or events predicted. Any such forward-looking information is expressly qualified in its entirety by this cautionary statement. Moreover, Gladiator Metals undertakes no obligation to publicly update or revise any forward-looking information, other than as required by applicable law.

This presentation has been prepared by Gladiator Metals using its best efforts to realistically and factually present the information contained herein. However, subjective opinion, dependence upon factors outside Gladiator Metals' control and outside information sources unavoidably dictate that Gladiator Metals cannot warrant the information contained to be exhaustive, complete or sufficient. In addition, many factors can affect the Presentation which could significantly alter the results intended by Gladiator Metals, rendering the Presentation unattainable or substantially altered. Therefore, readers should conduct their own assessment and consult with their own professional advisors prior to making any investment decisions.

This presentation does not constitute a prospectus or public offering for financing, and no guarantees are made or implied with regard to Gladiator Metals proposed ventures. There is no guarantee that valuable minerals can be produced profitably from our projects, or at all. The presentation is being disclosed to the reader for the reader's discussion, review, and/or evaluation only. The reader agrees to hold the presentation, and all related information and discussions, in strict confidence, except that the reader may disclose the presentation to a limited number of advisors and employees of the reader to the extent necessary for the reader to adequately evaluate the presentation. The reader warrants that any such persons shall be advised of the confidential nature of the presentation before gaining access to the same and that no such advisor or employee shall use or disclose the presentation. The drill results reported in this presentation are historical in nature. Gladiator has not undertaken any independent investigation, nor has it independently analyzed the results of the historical exploration work in order to verify the results. The Company believes that the historical drill results may not all conform to the presently accepted industry standards. Gladiator considers these historical drill results relevant as the Company will use this data as a guide to plan future exploration programs. The Company also considers the data to be reliable for these purposes, however, the Company's future exploration of the data through drilling.

Reference to historic resources on the Whitehorse Copper Project, refer to and are based solely on a report by Watson, P.H, 1984, entitled "The Whitehorse Copper belt – A Compilation, prepared for the Yukon Geological Survey" that can be accessed at https://data.geology.gov.yk.ca/Reference/42011#InfoTab.

The disclosed historical resources were all calculated using mining industry standard practices of the applicable time period for estimating Mineral Resource and Mineral Resource and Mineral Resources or the implementation of the current CIM Definition Standard on Mineral Resources and Mineral Resources or independent Qualified Person ('QP'), has not done sufficient work to classify the estimate discussed as current mineral resources or reserves. The historical resources or reserves and therefore the estimate should be treated as historical in nature and not current mineral resources or mineral resources have been included simply to demonstrate the mineral potential of the Whitehorse Copper Project. A thorough review of all historical data performed by a QP, along with additional exploration work to confirm results, would be required in order to produce a current mineral resource estimate for each of the key prospects. For greater certainty, the Company confirms that it does not have a current mineral resource on any part of its Whitehorse Copper Project. For details of the drill intersections and sampling quoted within this presentation, please refer to the Company's releases under the Company's profile at http://www.sedar.com.

Qualified Persons:


The persons with overall responsibility for approving Gladiator Metals mining technical disclosure is Kell Nielsen, VP of Exploration, a Fellow of the Australasian Institute of Mining and Metallurgy and independent Qualified Persons under NI 43-101 regulations. Mr. Nielsen, has reviewed and approved the technical information in this presentation.

This presentation does not constitute an offer to sell or the solicitation of an offer to buy, nor shall there be any sale of the securities of Gladiator Metals in any jurisdiction in which such offer, solicitation or sale would be unlawful prior to registration or qualification under the securities laws of such jurisdiction. The securities of Gladiator Metals have not been and will not be registered under the United States, unless an exemption from such registration is available, information concerning the assets and operations of Gladiator Metals included in this presentation has been prepared in accordance with Canadian standards and is not comparable in all respects to similar information for United States companies.




INVESTMENT HIGHLIGHTS

& Project Overview



UNDEVELOPED Cu PROJECTS OF THE WORLD

Headline Cu Grade of >1%*



4 Open Pittable

Project	Location	Owner	MTonnes ¹	Grade
Mes Aynak²	es Aynak² Afghanistan MMC-Taliban		662.0	1.67%
Kalukundi ³	Kalukundi ³ DRC Wanboa-Managem		55.6	2.09%
Arctic	Alaska	Trilogy Metals	40.2	2.86%
San Nicolas	olas Mexico Teck-AEM		105	1.12%


^{1.} Total MI&I where applicable, excludes co-products. 2,3-Non 43-101 Compliant, CapIQ Sources

^{*} Does not include co-products

THE COPPER SUPPLY GAP

New Copper Mines are Needed to Meet Rising Global Demand¹

Significant investment required



Source: Supply-Wood Mackenzie (Q2 2024); Demand-BHP analysis.

Note: Wood Mackenzie mine volumes adjusted for forecast disruption and smelting/refining losses. Lifetime extensions are BHP's assessment of current supply that will require significant "expansion capex" to maintain production levels (normally counted in Wood Mackenzie's Current Operations). Probable projects are those that are not considered sufficiently imminent and advanced to include in the base case. Possible projects have more significant risks associated with their development, resulting in longer lead times.

1) <u>BHP Insights, 2024</u> 2) <u>HudBay Minerals, 2021</u> 3, 5) BHP 4) S&PCap IQ 6) <u>BloombergNEF, 2022</u>

Global copper supply deficit is forecast to worsen over the next decade due to:

- **Declining ore grades:** Producing mines head grades have fallen 40% since 1990²
- Declining Exploration Budgets: Grassroots exploration budgets are now 28%, vs 50-60% in the 1990s and 2000s³
- Longer Development Time Frames: Development timelines have increased from 12.3 years to 16.3 years since 2005⁴
 - Only 10 of the 30 largest copper projects forecast (2014) to be in production now, have been built⁵
 - Capital intensities continue to increase; Brownfields expansions now approaching Greenfields costs
- Rapidly rising demand: Global production needs to double from 20Mtpa
 - 40Mtpa, to supply green energy and digital demands⁶ by 2050:
 - Electric Vehicles
 - Renewable Energy Infrastructure
 - Battery Storage
 - Growing AI and 5G infrastructure needs

KWANLIN DÜN FIRST NATION & GLADIATOR METALS

Capacity Funding Agreement: Announced October 2024

Gladiator Metals respectfully acknowledges that the Whitehorse **Copper Project is situated** on the traditional lands of the Kwanlin Dün First Nation and the Ta'an Kwäch'än Council.





In October 2024 Gladiator and the Kwanlin Dün First Nation put out a joint press release announcing they had entered into a Capacity Funding Agreement, representing an important step toward establishing a long-term relationship built on mutual understanding, respect and open communication.

THE WHITEHORSE COPPER BELT YUKON, CANADA

Tier 1 Jurisdiction

~35 km belt of copper-gold mineral occurrences:

Home to multiple past producing copper and gold mines.

Year-round access and work programs:


- Established road network provides superior drill access.
- Skilled local workforce and service providers including local laboratories.

Potential for lower cost, lower emissions production:

- Connection to grid hydro power.
- Proximity to Whitehorse, existing accommodation and core yard.
- No need to fly in / out, no camp required.

Community engagement and support:

 Building on vendors' relationships and strong connection to local and First Nation communities.



THE WHITEHORSE COPPER PROJECT: A WORLD-CLASS ASSET

Multiple Resource-Ready Prospects

Cowley Park - Cornerstone Prospect, 300+ holes drilled:

Shallow, high-grade Cu-Mo mineralization over ~700m
 strike, 1.5% - 2%+ CuEq average grades, over broad widths, open in all directions.

Chiefs Trend (Middle Chief & Little Chief):


Shallow, high-grade Cu-Au mineralization.

Cub Trend (including Gem, Keewenaw, Black Cub South):

High-grade copper mineralization identified.

Arctic Chief Trend (including Best Chance and Grafter):

Prospective high-grade zones of Cu-Au mineralization.



LEADERSHIP TEAM

Management & Directors

Jason Bontempo – CEO and Director

20+ years in public company management, corporate advisory and investment banking

Marcus Harden - President

20+ years leading exploration projects worldwide; former principal geologist – First Quantum Minerals

Kell Nielsen – Vice President, Exploration

Geologist with 30+ years experience; instrumental in the discovery, development and management of large resource projects including the delineation of the Wallaby Gold Mine (~7MOz Au) for Placer Dome

Olav Langelaar – VP Corporate Development

30+ years of Canadian capital markets and international mining expertise. Former investment banker who has held operational and senior management roles with some of Canada's largest mining firms.

Matthew Roma – CFO and Corporate Secretary

Chartered Professional Accountant (CPA), 12+ years financial management experience; assisted in raising \$85,000,000 for venture mining companies

Darren Devine - Chairman

Principal of CDM Capital Partners; corporate finance advisory services to private and public companies

Shawn Khunkhun - Director

Current CEO of Dolly Varden Silver, 20+ years of experience in capital markets, mineral exploration; raised over \$1B in equity for resource companies



SHARE STRUCTURE


& Shareholder Ownership

Designation of Securities	Issued and Outstanding	
Common Shares ¹	79,076,197	
Warrants Outstanding ²	5,540,373	
Stock Options and RSUs3.4	10,145,000	
Fully Diluted ¹	94,761,570	
Cash	~\$17M as at Apr 2025	

¹ Coyne Family (vendors) to receive 5M shares in Feb 2026 and 6M shares in Feb 2029 to complete earn in for 100%.

	Expiry	Outstanding	Exercise Price
² Warrants	June 2025	5,540,373	\$0.90
³ Options	Oct 2026	900,000	\$0.28
	Nov 2028	2,935,000	\$0.485 ⁵
	Sept 2029	1,000,000	\$0.40
	Oct 2029	700,000	\$0.45
	Dec 2029	1,775,000	\$0.57
	Oct 2030	100,000	\$0.40
⁴ RSUs		2,735,000	

⁵ Weighted Average Price



Institutional Investors









Analyst Coverage












Bereket Berhe

300+ Holes Drilled



- Drilling completed by Gladiator has confirmed broad widths and continuity of coppermolybdenum mineralization from near surface, consistent with historical results.
- Mineralization remains open along strike and down dip in all directions.
- A new zone of copper-molybdenum mineralization was discovered 50m south and underneath the historical drilling area by hole CPG-015 from 204m, highlighting the potential exploration upside and under-explored nature of Cowley Park.




506000mE

Cowley Park 3D View looking North, Showing drill traces and modelled copper mineralization at plus 0.6% Cu, New Zone Highlighted in CPG-015

505800mE

High-Grade Copper

High-grade, near surface shallow Cu-Mo skarn system intersected over > 700m of strike, open in all directions




CP-040	89.6m @ 1.89% Cu from 26.2m
CPG-047	98m @ 1.49%Cu, 3.68 g/t Ag & 187ppm Mo from 103m incl. 14m @ 7.67%Cu, 15.2g/t Ag & 216ppm Mo from 145m
CPG-049	79m @ 1.37% Cu, 4.4 g/t Ag & 261 ppm Mo from 71m incl. 26m @ 3.31% Cu, 8.97 g/t Ag & 43.5 ppm Mo from 88m
18-CP-04	15.9m @ 6.37% Cu from 84m, incl. 12.5m @ 8.02%
CP-112	54.3m @ 1.79% Cu from 41.8m, incl. 10.7m @ 6.93%
19-CP-08	43.3m @ 2.24% Cu, from 93.3m, incl. 13.7m @ 5.41%
CP-122	56.2m @ 1.61% Cu from 56.9m, incl. 17.1m @ 2.25%
CPG-002	113m @ 0.79% Cu & 464ppm Mo from 19m, incl. 13m @ 1.44% Cu & 1,564 ppm Mo from 28m, plus 33m @ 1.48% Cu & 404 ppm Mo from 71m
CPG-035	109.8m @ 0.77% Cu, 3.92 g/t Ag & 369 ppm Mo from 4m
CP-119	36.3m @ 2.28% Cu from 72.2m
CP-125	23.3m @ 3.53% Cu, from 51.5m, incl. 18.4m @ 4.42% & 10.3m @ 1.41%
CP-115	20.7m @ 1.19% Cu from 47.9m, & 32.6m @ 2.46% Cu from 81m
CP-081	71.4m @ 1.10% Cu from 41.6m, incl. 20.7m @ 2.64%
CP-053	27.7m @ 2.74% Cu from 8.7m, incl. 7.8m @ 8.34%
CP-018	57.9m @ 1.27% Cu from 53.m, incl. 41.2m @ 1.61%
CP-127	62.5m @ 1.17% Cu from 59.7m incl. 3.1m of 19.85% Cu from 102m
19-CP-01	32.9m @ 2.08% Cu & 654 ppm Mo from 73.8m, & 19.8m @ 1.19% Cu & 1,335 ppm Mo from 117.7m, incl. 8.1m of 5.35% Cu & 100ppm Mo
CPG-006	92m @ 0.71% Cu from 67m, incl. 16m @ 2.36% Cu & 455 ppm Mo
CP-024	44.2m @ 1.43% Cu from 52m
CP-140	45m @ 1.36% Cu, 6 g/t Ag & 538ppm Mo from 29m, Incl. 10.8m @ 1.73% Cu, 15.2 g/t Ag & 801 ppm Mo

High-Grade Copper



- Drilling completed by Gladiator has identified a new high-grade Cu domain at Cowley Park
- Mineralization remains open along strike and down dip in all directions.
- Identification of near surface gold intercepts in previously unrecognized style of mineralization:
- CPG-065D3 <u>5.70m @ 8.18 g/t Au</u> from 10.3m
 (top of sampling) -

High-grade, near surface shallow Cu-Mo skarn system intersected over > 700m of strike, open in all directions






High-Grade Copper

- High-grade, near surface shallow Cu-Mo skarn system intersected over > 700m of strike.
- Broad widths and strong continuity of coppermolybdenum mineralization from near surface.

- Mineralization remains open along strike and down dip in all directions.
- CPG-002: 79m @ 1.37% Cu, 0.06 g/t Au, 4.38 g/t
 Ag & 261 ppm Mo from 71m (incl. 26m @ 3.31% Cu, 0.06 g/t Au, 8.97 g/t Ag & 44 ppm Mo from 88m

Section Line 1 – Viewing West




High-Grade Copper

- High-grade intervals shouldered by long widths of lower grade material not previously assayed
- Broad widths and strong continuity of coppermolybdenum mineralization from near surface.

- Mineralization remains open along strike and down dip in all directions.
- CPG-032: 30m @ 1.48% Cu, 0.21 g/t Au, 8.39 g/t Ag & 1,308ppm Mo from 56m within 48m @ 1.08% Cu 0.15 g/t Au, 6.18 g/t Ag & 951ppm Mo from 38m

Section Line 2 – Viewing West






High-Grade Copper

CPG-047 supports thesis that mineralization remains open at depth

- CPG-049: 79m @ 1.37% Cu, 0.06 g/t Au, 4.38 g/t Ag & 261 ppm Mo from 71m incl. 26m @ 3.31% Cu, 0.06 g/t Au, 8.97 g/t Ag & 44 ppm Mo from 88m.
- CPG-047: 98m @ 1.49% Cu, 0.04 g/t Au, 3.68 g/t Ag & 187 ppm Mo from 103m incl. 20m @ 5.53% Cu, 0.07 g/t Au, 11.47 g/t Ag & 229 ppm Mo from 145m or 14m @ 7.67% Cu, 0.07 g/t Au, 15.16 g/t Ag & 217 ppm Mo from 145m
- CPG-018 to be extended to further test vertical extent of mineralization.


Section Line 3 – Viewing West





Exploration Potential

Magnetics suggest NNE dextral fault




 IP and drone aero-magnetics suggests existence of dextral fault

- Three new magnetic responses to be tested for mineralization
- Potential to significantly expand mineralization at Cowley Park

Exploration Potential

Magnetics highlight potential continuation of trend west toward Cub



- Recent surface mapping has identified highly prospective skarn mineralization between Cowley Park and Cub along the limestone intrusion contact
- >3.3 km of prospective strike under thin till cover

 Aero-magnetics highlight initial drill targets for 2025 drilling

CUB TREND


Additional Targets



The Cub Trend hosts significant mineralization over a strike of > 1.2km associated with a magnetic high feature.

Small open-pit operations existed at Keewenaw and Black Cub South & pre-stripping was undertaken at Gem prior to the closure of the Little Chief Mine. Historic intercepts include:

Keewenaw (Partially Mined)		Gem (Unmined)		
K-004	39	9.62m @ 1.56% Cu	G-011	16.61m @ 2.59% Cu from 76.05m
K-005	5	5.47m @ 1.26% Cu	G-018	24.99m @ 1.4% Cu from 23.93m
K-019	019 23.47m @ 2.91% Cu		Black Cub NE & SE Extensions	
K-020	74	4.98m @ 1.51% Cu	BLC-015	30.51m @ 1.20% Cu from 22.16m
Black Cub South (Partially Mined)		BLC-057	10.21m @ 1.09% Cu from 51.36m	
BLC-008		34.75m @ 1.65% Cu		
BLC-024		17.83m @ 2.27% Cu		




CHIEFS TREND

Little Chief Prospect



The Little Chief trend is the largest historically producing mine in the Whitehorse Copper Belt.

- Total mined production: 8.54 million tons grading at >1.5% copper and ~0.75 g/t gold*.
- Mineralization at Little Chief appears to be intact and open to the south, down plunge and up dip.
- Limited testing of "Up Dip" extensions to the mineralization conducted due to being predominantly drilled from underground, little surface drilling.
- Drilling prior to 1982 mine closure is limited and has not closed off the unmined high-grade mineralization at Middle Chief and Little Chief.
- Scope for further testing between Middle Chief and Little Chief: 14,900m drill program for 2024, assays pending. *(Watson, 1984)




CHIEFS TREND

Middle Chief Prospect

Gladiator commenced a diamond drill program at the Middle Chief Prospect in early 2024.

- Mineralization now defined over > 500 metres of strike.
- Drill results received for 20 holes (4,794 metres) returned significant copper and gold mineralization, including:

LCG-001D1	• 22m @ 1.41% Cu and 0.28 g/t Au from 208m
LCG-001	• 16m @ 1.29% Cu and 0.61 g/t Au from 249m and 6m @ 1.56 % Cu and 1.06 g/t Au from 213m
LCG-001D2	 10m @ 1.35% Cu and 0.51g/t Au from 196m, 10m @ 0.83% Cu and 0.19 g/t Au from 62m and 4m @ 1.03 Cu and 0.19 g/t Au from 84m
LCG-003	 Recovered core @ 2.71% Cu and 1.39 g/t Au within a 13.75m mineralised zone from 256m to end of hole (approximately 270m) that failed in 0.25m @ 2.76% Cu and 0.28 g/t Au
LCG-009	 29m @ 0.83% Cu & 0.32 g/t Au, incl. 11m @ 1.67% Cu & 0.63 g/t Au from 194m
LCG-009D1	• 35.84m @ 1.35%. Cu & 0.21 g/t Au, from 206.2m (EOH), incl. 20.44m @ 2.17% Cu & 0.34 g/t Au from 221.6m (EOH).



ARCTIC CHIEF TREND

Best Chance & Grafter




The Arctic Chief Trend includes the Best Chance & Grafter Prospects,

where historical drill results have indicated mineralization that remains open along strike and at depth.

 Collation of historic drilling data at the Arctic Chief identified unmined zones of mineralization, including:

Best Chance	
BCH-006	• 51.66m @ 0.67% Cu from 12.13m, Incl. 3.11m @ 1.72% & 11.79m @ 1.46%
BCH-010	• 14.33m @ 1.33% Cu from 46.48m, Plus 3.05m @ 3.45% from 80.28m and 20.18m @ 1.50% from 88.51m Incl. 10.36m @ 2.56%
BCH-015	• 31.39m @ 1.04% Cu from 54.32m, Incl. 9.14m @ 2.39%
BCH-023	• 46.27m @ 1.01% from 24.38m, Incl. 25.30m @ 1.37%
BCH-024	• 12.59 @ 1.09% Cu from 9.30m, Plus 5.94m @ 3.19% from 29.96m and 9.69m @ 1.15% from 73.61m
Grafter Trend	
GR-001	• 11.58m @ 2.11% Cu from 106.68m, Incl.6.19m @ 3.19%
GR-005	• 5.49m @ 1.66% Cu from 176.68m, Plus 6.22m @ 3.95% from 191.29m
GR-018	• 5.94m @ 2.33% Cu from 187.76m, Plus 1.52m @ 6.80% from 242.32m



Plan map of the Arctic Chief Trend with copper-gold skarn targets identified. Recently collated historical drill results with a cumulative Copper%*m of > 40 highlighted. Recent surface rock chipping completed by Gladiator also shown.



EXPLORATION STRATEGY

2025 Objectives & Execution

2025 H1 Objectives 2025 H2 Objectives Inferred Resource Status

- 10,000m drill program
 - Current drilling under Class 1 Permit;
 - Test new exploration model to extend strike and downdip extensions of highgrade exoskarn at Cowley Park;
 - Expand Cowley Park footprint
- Commence resource delineation at Cowley Park


- 18,000m drill program
 - Drill 10,000m at Cowley Park
 - Drill 2,000m each at Arctic Chief, Cub, Chiefs
 Trends, and at Hat for 8,000m scout program
- Class 3 Permit Approval:
 - Provides increased and more flexible drill density
 - Late Q2-early Q3 approval
- Advance towards initial Cowley Park resource

Complete inferred resource for Cowley Park H1-26



GLADIATOR IN THE COMMUNITY

- Regular updates on social media (X, Facebook, and LinkedIn) and bi-monthly community newsletter
- Organization of multiple public events such as community appreciation barbecues, open houses, and educational tours of the Whitehorse Copper Project for families and students
- Participation in and support of Every Student, Every Day, to foster student attendance in Yukon schools, Yukon Geoscience and Women in Mining Family Day.
- Sponsorship of recreational teams including Lights Out Basketball, Sub Zero Volleyball,
 Glacier Bears Swim Club, and Indigenous Sports Circle.
- Financial support and ongoing patronage of businesses that promote social inclusion and training opportunities such as Core Box Yukon, where attendees develop new skills and competences.
- Development of prototype and pre-production of biodegradable cloth bags to ecologically improve sampling methods used in mineral exploration in the Yukon.
- Environmental remediation of the WCP site, includes the removal of derelict vehicles and decades of accumulated garbage.





Thank you.

Please Contact:

Caitlin Cheadle, Investor Relations:

Email: ccheadle@gladiatormetals.com

Phone: (+1) 778 403 5139

Olav Langelaar, VP Corporate Development: OR

Email: olangelaar@gladiatormetals.com

Phone: (+1) 604 961 6511

